

SOLUTIONS CREO



T **514-31ONIVO** (514-316-6486)
info@onivo.ca | www.onivo.ca

creo CONNECTORS

CONNECTORS



Knob Rest



Dimensionally correct knob provides a non locking rest.



Tightening Knob



Provides a rest and ability to lock up.



Security Lever



Stylish security locking lever ensures display integrity.

*Boiler Showroom Promotion
Creo has the ability to handle heavy loads.*



T 514-31ONIVO (514-316-6486)
info@onivo.ca | www.onivo.ca

VIDEO creo

Tool Free Assembly



Use top thread for attaching signs, frames & platforms.

VIDEO INTEGRATION, MADE SIMPLE



Quick, Easy Assembly



Video Card



Universal Monitor Mounts





T 514-31ONIVO (514-316-6486)
info@onivo.ca | www.onivo.ca

TOOL FREE

créo

FOR MOUNTING RIGID GRAPHICS



Panel Grippers



Hook/Loop Angle Backs



Enclosed by channel



Steel Set Joiners





T 514-31ONIVO (514-316-6486)
info@onivo.ca | www.onivo.ca

GRAPHICS

créo


FOR MOUNTING NON-RIGID GRAPHICS



Sail Away Bars
(also good for rigid media, does not include security lever).



Retractable Graphic Crossbars





T 514-31ONIVO (514-316-6486)
info@onivo.ca | www.onivo.ca

MODULAR

créo

SHELVING



WEIGHT-BEARING CAPABLE

Inclinable Shelves

With lip. Clear acrylic or steel powder coated,
Includes angle holder (not locking lever).



Regular Shelves

Clear acrylic or steel powder coated, brackets required.



Brackets (connector required)
Single (2 per, a left & a right).



Double for center upright



T 514-31ONIVO (514-316-6486)
info@onivo.ca | www.onivo.ca

SHELVING



VIDEO INTEGRATION
MADE SIMPLE

CAD

CAD services available,
(Charge may apply).



Plasma Brackets

Graphic Rods



Inclinable Acrylic Shelf

Regular Steel Shelves

Centered Aluminum Base

Modular 2 section crossbars for
reasonably long spans available.



PODIUM KITS

créo

FURNITURE QUALITY PODIUMS



6 minute assembly without tools!

POPULAR KIT CONFIGURATIONS (OTHERS AVAILABLE)



CURVED INK-JET,
HOOK LOOP
PROVIDED.

CRP1 Economical Kit,
2 platforms. Hook/loop Ink-jet mount.
Graphic curves out when attached.

CRPIG Includes ink-jet graphic.

CRPIGP Includes graphic (must fit into
4" diameter tube supplied), & hard rolling case.



PANEL GRIPPERS
FOR RIGID
BUT
ROLLABLE
GRAPHICS.

CRP2 Includes 2 platforms & 4 panel grips
for rigid graphics. Specify graphic thickness
of panel grips -see pg.19.

CRP2G Includes graphic.

CRP2GP Includes graphic (must fit into
4" diameter tube supplied), & hard rolling case.



POLE POCKET ARMS

CRP3 Includes 2 crossbars,
1/2" acrylic top,
2 bases & pole pocket arms.

CRP3G Includes dye-sub graphic.

CRP3GP Includes graphic (must fit into
4" diameter tube supplied), & hard rolling case.



CURVED INK-JET
HOOK/LOOP
PROVIDED.

CRP4 Hook-Loop ink-jet
mount ready. Includes 2 Birch platforms,
an acrylic top & bases.

CRP4G Includes ink-jet graphic.

CRP4GP Includes graphic (must fit into
4" diameter tube supplied), & hard rolling case.



T 514-31ONIVO (514-316-6486)
info@onivo.ca | www.onivo.ca

PODIUMS



CRPB Birch platform with integral crossbar.



CRPA 1/2" clear acrylic top, shown with closures.



CRPC Set of 2 attractive top closures, 3-1/4" diameter.




CRWV with hook/loop.
CRWX without hook/loop.

FURNITURE QUALITY PODIUMS



OPC-1 Podium Case, hard plastic, casters.



All Creo accessories can be added; shelves, extensions and graphic holders. Tool free assembly.



Header assemblies available, as is simple video integration. Call our friendly sales staff for help.

creo COMPONENTS

INGENIOUS QUICK CONNECT/DISCONNECT SYSTEM WITHOUT TOOLS



Cones

Stylish and functional, Cones screw onto the top of an upright. A center top thread is provided for adding accessories. Overall Cone assembly length -7".



Black Silver Red White
CNCT Specify Color: -B, -S, -R, -W (same price)

Uprights

Precision aluminum sections include quick connect/release hardware.

| | |
|---------------|---|
| CRP-72 | 1 CRP-72 (60-3/4") + 1 Cone (7") + 1 Base (4-1/4") = 72" Total Height |
| CRP-84 | 1 CRP-84 (72-3/4") + 1 Cone (7") + 1 Base (4-1/4") = 84" Total Height |
| CRP-96 | 1 CRP-96 (84-3/4") + 1 Cone (7") + 1 Base (4-1/4") = 96" Total Height |

Exhibit sized

| | |
|----------------|---|
| CRP-56 | 2 CRP-56 (30-3/8") + 1 Cone (7") + 1 Base (4-1/4") = 72" Total Height |
| CRP-57 | 2 CRP-57 (36-3/8") + 1 Cone (7") + 1 Base (4-1/4") = 84" Total Height |
| CRP-58* | 2 CRP-58 (42-3/8") + 1 Cone (7") + 1 Base (4-1/4") = 96" Total Height |

*Too tall for podium cases

Bases

All bases include a quick connect element and are 4-1/4" in overall height.

Aluminum Bases include oversized glides. Lightweight, strong & techy.

| | |
|-------------|---------------------|
| CRBT | 24" Centered Base |
| CRBF | 24" Off Center Base |
| CRBP | Tripod Base |

Steel Bases-laser cut and powder coated.

| | | |
|-------------|-----------------|------------------------------|
| CRBS | 16" Square | Wide radius corners, 18 lbs. |
| CRBO | 10" x 14" Oval | Contemporary look. 7 lbs. |
| CRBK | 4" x 17" Kidney | Modern, 5-1/2 lbs. |
| CRBD | 3-1/4" Round | Disk, 3/4 lb. |

Specify Color: -B, -S, -R, -W (same price)



Crossbars

Quick, easy connection. 2 section modular crossbars.




| | | | |
|----------------|-----|---------------|-----|
| CRCB-2 | 24" | CRCB-4 | 48" |
| CRCB-25 | 30" | CRCB-5 | 60" |
| CRCB-3 | 36" | CRCB-6 | 72" |

For encapsulating graphics in slots—order with an X after the model #. No extra charge.

Brackets

(Require a connector)



CRSD Saddle, can be good for heavy-duty applications.

CRAH 6 position angle holder.

Connectors



CRKR Knob Rest & glide screw.

CRLV Locking lever, spring loaded, insures security.

CRTP Rest, glide screw, & tightening puck.



CRBD

CRBK

CRBO

CRBS



T 514-31ONIVO (514-316-6486)
info@onivo.ca | www.onivo.ca


GRAPHIC MOUNTS

MANY EASY WAYS TO MOUNT GRAPHICS



Pocket Arms

2 pole set, 3/4" diameter includes mounting moveable glides.
Hem graphics to mount.



| | |
|---------|-----|
| CRPA-2 | 24" |
| CRPA-25 | 30" |
| CRPA-3 | 36" |

| | |
|--------|-----|
| CRPA-4 | 48" |
| CRPA-5 | 60" |
| CRPA-6 | 72" |

Panel Grippers

Allows for frameless graphic attachment of rigid media.



CRPG interlocking panel grippers, 2 pairs per. Specify thickness.

| | | |
|--------|------|-------|
| 0 mm | 4 mm | 10 mm |
| 1.5 mm | 5 mm | 12 mm |
| 2.5 mm | 7 mm | 15 mm |

Metric conversion chart page 130.

Hook & Loop Angle Backs

Back rests are great for attaching substrates with Hook & Loop.



CRAB Hook & Loop brackets provide back rests for rigid graphics. Set of 4.

Graphic Rods

Sleek, 7/8" diameter aluminum tubes tighten instantly anywhere along track.
Includes aluminum face-out. Hem graphics to mount. 2 per set.



| | |
|--------|-----|
| CRGR-1 | 18" |
| CRGR-2 | 24" |

Retractable Graphic Crossbar

Combination retractable graphic holder and crossbar with hook-loop mounting (included). The opposite side requires a pole pocket as an arm can be positioned anywhere along the track (like pocket arms above).




Position canister on top or bottom.

| | |
|--------|-----|
| CRPC-2 | 24" |
| CRPC-3 | 36" |

| | |
|--------|-----|
| CRPC-4 | 48" |
| CRPC-5 | 60" |

Sail Away Bars

Flat Bars with Hook & Loop. Includes Angle Holder. Set of 2.




| | |
|--------|-----|
| CRAR-2 | 24" |
| CRAR-3 | 36" |
| CRAR-4 | 48" |

Slot in the center.

Hook & Loop Saddle Bars

Flat Bars with Hook & Loop. Includes Saddle. Set of 2.



| | |
|--------|-----|
| CRSB-2 | 24" |
| CRSB-3 | 36" |
| CRSB-4 | 48" |

Slots to the side.

Custom Extender Bars

Graphics attach away from the upright for a curved look. Offered to project specifications.



creo COMPONENTS

These acrylic accessories include angle holders but require a knob rest, tightening knob or security lever.



CROS Oval Shelf
3/8" x 12" x 8" clear.



CRRS Round Shelf
3/8" x 12" clear.



CRCH Catalog Holder
9" w x 1-1/2" d, clear.



CRSS Square Shelf
3/8" x 10" clear.



CRSF Shoe Shelf
3/8" x 4" x 10" clear.

Steel Literature Holders



CRLF Lit. Holder
Steel 9" x 11-3/4", centered mount.

Special order
3/16" acrylic.



CRLS Lit. Holder
Steel 9" x 11-3/4", Select left (-L) or right (-R) mount.



Set Joiners
Solid steel brackets designed to join uprights together.
Set of 2.



| | | | |
|-------------|-----|-------------|------------|
| CRC6 | 60° | CRC5 | 135° |
| CRC9 | 90° | CRCA | Adjustable |

All shelves require knob rests, tightening knobs or security locking levers to attach to uprights.

Regular Shelves

10-1/4" deep. Shelf brackets required. Shelves sit cantilevered in front of the uprights.



Steel, powder coated.

| | |
|----------------|-----|
| CRST-24 | 24" |
| CRST-30 | 30" |
| CRST-36 | 36" |

1/4" clear acrylic.

| | |
|----------------|-----|
| CRPS-24 | 24" |
| CRPS-30 | 30" |
| CRPS-36 | 36" |

Shelf Brackets (for Regular Shelves)



CRSB Set of 2, left & right Single Shelf Brackets.

CRDB Double Shelf Bracket, for center upright.

Inclinable Shelves

12" deep. Angle holders provide tilting by engaging with uprights in a centered position. There is a lip on 1 side.



Steel, powder coated.

| | |
|----------------|-----|
| CRIS-24 | 24" |
| CRIS-30 | 30" |
| CRIS-36 | 36" |

Clear, 1/4" acrylic.

| | |
|----------------|-----|
| CRIA-24 | 24" |
| CRIA-30 | 30" |
| CRIA-36 | 36" |



Aluminum Frames

Include Angle Holders.

| | | | |
|--------------|--------------|--------------|-----------|
| CRPX1 | 8-1/2" x 11" | CRPX4 | 14" x 22" |
| CRPX2 | 11" x 14" | CRPX5 | 22" x 28" |
| CRPX3 | 11" x 17" | CRPX6 | 24" x 36" |

Video



CRVA Swiveling Universal Monitor Mount.



CRVX Fixed Universal Monitor Mount.



Plasma Monitor Brackets & Extender Arms available on application.

OPTIONS

Custom Colors



Custom finishes available for Cones, Uprights & Bases. Price on application.



Ball bearing 2-1/2" casters with gray rubber & brakes are available. Price on application.

Crowd Control



6 DIFFERENT GRAPHICS
MOUNTING METHODS
AVAILABLE.

See dedicated
Brand-a-Stand™
catalog
online at www.testrite.com



Lights & Cases



CR200 200 watt light includes mounting hardware & attaches anywhere along crossbars.



CR50 50 watt light attaches to top of cone topper.



Hard plastic with rolling casters; protect graphics and hardware. Require "Exhibit Sized" uprights.

OPC-1 27-1/2" w x 15-3/4" d x 38-3/4" h



T 514-31ONIVO (514-316-6486)
info@onivo.ca | www.onivo.ca

TOOL FREE

créo

2 MINUTE ASSEMBLY WITHOUT TOOLS!



Unique Locking Lever for shelves and Panel Grippers
for rigid graphics, attach anywhere along the track.



GRAPHICS

créo

GRAPHIC MOUNTING



Stylish Aluminum Sign Frame.



Graphic Rods with face out discs.



Custom hook/loop Saddle Bar Extender provides support for graphic top & bottom.

